





ViBa Water. Drink Safe.

Wasserfilter „ViBa UF I“ Art. No. 20456

Membran -Typ:	Ultrafiltration (UF), hydrophile Kapillar Membranen mit asymmetrischer Porenstruktur
Membranmaterial :	Polyethersulphon (PES)
Max. Porengröße :	0,02 µm
Bakterienrückhaltung :	99,99999% (>log 7) Ps.
Virurückhaltung :	99,99% (>log 4) MS2 Coliphages
Filtermaterialien :	Gehäuse: Polypropylen Endkappen: PP / PVCC Dichtungen: EPDM Verguss: 2K -Epoxidharz
Durchflussmenge: Standzeit: Max. Druck: Max. Temp: Gewicht:	6,5 L/min @ 1,5 bar/22 PSI) (9 L/min @ 2 bar/29 PSI) ca. 5.000 Ltr. oder 4 - 6 Monate (siehe Grafik unten) 5 bar (75 PSI), optimaler Druck: 1,5 bar (22 PSI) 40°C (104°F) 320 g



Bakterienrückhaltung getestet nach ASTM F838 -05.

Die Standzeit ist von den Wasserbedingungen, der Menge an Mikropartikeln und Vorfiltration abhängig.

Exclusive Distributor:
Ship Safety Group GmbH & Co. KG
Graf-Zeppelin - Ring 17
27211 Bassum [Germany]

Tel.: +49 4241 - 613 00 41
E-Mail: viba@ship-safety-group.com

Internet: www.viba-water.com





ViBa Water. Drink Safe.

Water filter „ViBa UF I“

Art. No. 20456

Membrane type:	Ultra filtration (UF), hydrophilic capillary membranes with asymmetric pore structure
Membrane material:	Polyethersulphone (PES)
Max. pore size:	0,02 µm
Bacterial retention:	99,99999% (>log 7) Ps.
Virus retention:	99,99% (>log 4) MS2 Coliphages
Filter materials:	Housing: Polypropylene Endcaps: PP / PVCC Seals: EPDM Potting: 2K epoxy resin
Flow rate:	6.5 L/min @ 1.5 bar/22 PSI) (9 L/min @ 2 bar/29 PSI)
Service life:	approx. 5.000 ltrs or 4 - 6 months (see graph below)
Max. pressure:	5 bar (75 psi), optimal pressure: 1.5 bar (22 PSI)
Max. temp:	40°C (104°F)
Weight:	320 g



Bacterial retention tested according to ASTM F838 -05

Service life depends on local water conditions, the amount of micro particles and level of pre-filtration

Exclusive Distributor:

Ship Safety Group GmbH & Co. KG
Graf-Zeppelin-Ring 17
27211 Bassum [Germany]

Tel.: +49 4241 - 613 00 41

E-Mail: viba@ship-safety-group.com

Internet: www.viba-water.com